

In the Claims:

1-38. Canceled.

39. (Previously presented) An isolated polypeptide having at least 80% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292);
  - (b) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:292); or
  - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439,
- wherein said polypeptide is capable of inducing an immune or inflammatory response.
40. (Previously presented) The isolated polypeptide of Claim 39 having at least 85% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292);
  - (b) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:292); or
  - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439,

wherein said polypeptide is capable of inducing an immune or inflammatory response.

41. (Previously presented) The isolated polypeptide of Claim 39 having at least 90% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292);
- (b) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:292); or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439,

wherein said polypeptide is capable of inducing an immune or inflammatory response.

42. (Previously presented) The isolated polypeptide of Claim 39 having at least 95% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292);
- (b) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:292); or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439,

wherein said polypeptide is capable of inducing an immune or inflammatory response.

43. (Previously presented) The isolated polypeptide of Claim 39 having at least 99% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292);
  - (b) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide,
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:292); or
  - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439,
- wherein said polypeptide is capable of inducing an immune or inflammatory response.
44. (Allowed) An isolated polypeptide comprising:
- (a) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292);
  - (b) the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO:292); or
  - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439.

45. (Allowed) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO: 292).
46. (Allowed) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide shown in Figure 104 (SEQ ID NO: 292), lacking its associated signal peptide.
47. (Allowed) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 104 (SEQ ID NO: 292).
48. Canceled.
49. (Allowed) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439.
50. (Currently amended) A chimeric polypeptide comprising a polypeptide according to Claim 44 ~~39~~ fused to a heterologous polypeptide.
51. (Previously presented) The chimeric polypeptide of Claim 50, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.